



Fronte / Front



Pianta / Plant




Pavimento / Floor

Descrizione di montaggio / Instruction of assembly


1 Fissaggio della cremagliera (COD. PFCRE)
Al pannello già precedentemente forato

Insert the profile (COD. PFCRE)
Into the slot of the panel




2 Fissaggio delle staffe per il montaggio pareti
(COD. PF STAFFA) Al pannello completo di cremagliera

Fix bracket for wall assembly (COD. STAFFA)
Into the panel complete with profile




3 Aggancio del pannello al muro

Hang the panel up to the wall









4 Aggancio dei pannelli al muro

Hang the panels up to the wall




Prove di carico

Portata Massima (art. AP120)	Portata Massima (art. SPC con art. PV120AT39)
 <p data-bbox="475 2145 678 2179">Portata 30 Kg/ml</p>	 <p data-bbox="978 2145 1181 2179">Portata 30 Kg/ml</p>

Type	Descrizione / Finiture				
	Cremagliera centrale in alluminio Central profile in aluminium	PF CRE200 PF CRE220 PF CRE250 PF CRE300	H 2000 mm H 2200 mm H 2500 mm H 3000 mm		
	KIT PF Kit di N°20 viti per montaggio art. PF CRE Kit of N°20 screws for assembly item PF CRE				
	Staffa per montaggio pareti Altezza 47 mm Bracket for wall assembly Height 47 mm Ferro zincato / Galvanized iron	PF STAFFA			
	Pannello con cremagliera centrale L = 600 mm H = 2350 mm Spessore 18 mm Panel with central profile L = 600 mm H = 2350 mm Thickness 18 mm	PF60/235 M PF60/235 LU PF60/235 LA	Melaminico / Melamine Melaminico Lucido / Melamine Glossy Laccato a richiesta / Lacquered at request		
	Pannello con cremagliera centrale L = 600 mm H = 2600 mm Spessore 18 mm Panel with central profile L = 600 mm H = 2600 mm Thickness 18 mm	PF60/260 M PF60/260 LU PF60/260 LA	Melaminico / Melamine Melaminico Lucido / Melamine Glossy Laccato a richiesta / Lacquered at request		

Type

Descrizione / Finiture




PF120/235 M
PF120/235 LU
PF120/235 LA

Pannello con n°2 cremagliere
L = 1200 mm H = 2350 mm Spessore 18 mm

Panel with n°2 profiles
L = 1200 mm H = 2350 mm Thickness 18 mm

Melaminico / Melamine
Melaminico Lucido / Melamine Glossy
Laccato a richiesta / Lacquered at request

Pannello completo di n°2 cremagliere e viti
Panel with n°2 profiles and screws




PF120/260 M
PF120/260 LU
PF120/260 LA

Pannello con n°2 cremagliere
L = 1200 mm H = 2600 mm Spessore 18 mm

Panel with n°2 profiles
L = 1200 mm H = 2600 mm Thickness 18 mm

Melaminico / Melamine
Melaminico Lucido / Melamine Glossy
Laccato a richiesta / Lacquered at request

Pannello completo di n°2 cremagliere e viti
Panel with n°2 profiles and screws










PF6/260 M
PF6/260 LU
PF6/260 LA

Montante con cremagliera centrale compreso n.3 supporti per fissaggio a muro.
L = 60 mm P = 60 mm P1 = 70mm
H = 2600 mm

Panel with central profile with n.3 supports
L = 60 mm P = 130 mm P1 = 70mm
H = 2600 mm

Melaminico / Melamine
Melaminico Lucido / Melamine Glossy
Laccato a richiesta / Lacquered at request

Montante completo di cremagliera, viti e n.3 supporti per fissaggio a muro.
Panel with profile, screws and n.3 supports for assembly on the wall.

Type	Descrizione / Finiture
 <p>Supporti / Supports ϕ 20mm</p>	<p>Piano con coppia di supporti in ferro a scomparsa</p> <p>Shelf with pair iron supports</p> <p>Melaminico / Melamine L = 1200mm P = 390mm H = 25mm</p> <p>Melaminico Lucido / Melamine glossy L = 1200mm P = 390mm H = 25mm</p>
	<p>Piano in vetro trasparente, temperato, senza supporti</p> <p>Trasparent temperate glass shelf without supports</p> <p>PV60AT39 PV120AT39</p> <p>L = 600mm P = 390mm H = 8mm L = 1200mm P = 390mm H = 8mm</p> <p>Vetro satinato a richiesta / Satined glass at request</p>
	<p>Piano senza supporti</p> <p>Shelf without supports</p> <p>PLN 60/18 PLN120/18</p> <p>Melaminico / melamine L = 600mm P = 390mm H = 18mm L = 1200mm P = 390mm H = 18mm</p> <p>Melaminico Lucido / melamine glossy L = 600mm P = 390mm H = 18mm L = 1200mm P = 390mm H = 18mm</p> <p>Altri spessori a richiesta / Other thickness at request</p>
<p>Vista laterale / Side view</p>  <p>Supporti realizzati a Laser. Supports realized at Laser.</p> 	<p>Coppia di supporti per piano (escluso piano) P = 360 mm</p> <p>Pair of supports for shelf (without shelf) P = 360 mm</p> <p>SPC LA V SPC LA X</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
<p>Vista laterale / Side view</p>  <p>Supporti realizzati a Laser. Supports realized at Laser.</p> 	<p>Coppia di supporti per piano con tubo appenderia (escluso piano) L = 1190 mm</p> <p>Pair of supports for shelf with hanging tube (without shelf) L = 1190 mm</p> <p>SPC RE 120 V SPC RE 120 X</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>








Type	Descrizione / Finiture
<p>Vista laterale / Side view</p> <p>Supporti realizzati a Laser. Supports realized of Laser.</p> <p>SPC CV SPC CX</p>	<p>Supporto centrale per piano con singolo attacco (escluso piano) L = 120 mm P = 120 mm</p> <p>Central support for shelf with single attack (without shelf) L = 120 mm P = 120 mm</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
<p>Vista laterale Side view</p> <p>SPC 20 V SPC 20 X</p> <p>20 X 20 mm</p>	<p>Coppia di supporti per piano (art.PLN120, PV120AT) (escluso piano) P = 370 mm</p> <p>Pair of supports for shelf (item PLN120, PV120AT) (without shelf) P = 370 mm</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
<p>Vista laterale Side view</p> <p>SPCS 20 V SPCS 20 X</p> <p>20 X 20 mm</p>	<p>Supporto frontale per piano (art.PLN60, PV60AT) (escluso piano) P = 350 mm</p> <p>Frontal support for shelf (item PLN60, PV60AT) (without shelf) P = 350 mm</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
<p>Vista laterale Side view</p> <p>P.A.V.120/20 V P.A.V.120/20 X</p> <p>20 X 20 mm</p>	<p>Struttura appenderia con supporti per piano (art.PV120AT e PLN120) (escluso piano) L=1190mm P=300mm</p> <p>Hanging tube with supports for shelf (item.PV120AT, PLN120) (without shelf) L=1190mm P=300mm</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
<p>Vista laterale Side view</p> <p>SPCPA 20 V SPCPA 20 X</p> <p>20 X 20 mm</p>	<p>Supporto frontale per piano con appenderia (escluso piano) L = 590 mm P = 300 mm H = 90 mm</p> <p>Frontal support for shelf with hanging tube (without shelf) L = 590 mm P = 300 mm H = 90 mm</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>









Type	Descrizione / Finiture
<p>Vista laterale Side view</p> <p>20 X 20 mm</p>	<p>Supporto frontale per piano (art. PLN60 e PV60A) P = 350 mm</p> <p>Frontal support for shelf (item PLN60 and PV60A) P = 350 mm</p> <p>SPCSA 20 V SPCSA 20 X</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
<p>Vista laterale Side view</p> <p>20 X 20 mm</p>	<p>Struttura appenderia con supporti inclinati L = 1190 mm P = 300 mm</p> <p>Hanging tube with tilted supports L = 1190 mm P = 300 mm</p> <p>AP120/20i V AP120/20i X</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
<p>Vista laterale Side view</p> <p>20 X 20 mm</p>	<p>Tubo appenderia con supporto inclinato L = 590 mm P = 300 mm</p> <p>Hanging tube with tilted support L = 590 mm P = 300 mm</p> <p>AP60/20i V AP60/20i X</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
<p>20 X 20 mm</p>	<p>Appendiera frontale per art. (PF CRE) L = 410 mm H = 180 mm</p> <p>Frontal hanging tube for item (PF CRE) L = 410 mm H = 180 mm</p> <p>APP40/20 V APP40/20 X</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
<p>20 X 20 mm</p>	<p>Appendiera frontale per art. (PF CRE)</p> <p>Frontal hanging tube for item (PF CRE)</p> <p>Verniciato / Iron painted L = 350 mm L = 300 mm L = 250 mm</p> <p>Acciaio inox / Stainless steel L = 350 mm L = 300 mm L = 250 mm</p> <p>APP35/20 V APP30/20 V APP25/20 V APP35/20 X APP30/20 X APP25/20 X</p>



Type	Descrizione / Finiture			
 <p>20 X 3 mm</p>	<p>Appenderia frontale inclinata per art. (PF CRE) L = 400 mm</p> <p>Frontal hanging tube tilted for item (PF CRE) L = 400 mm</p> <p>APLINC007 V APLINC007 X</p>	<p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>		
 <p>20 X 3 mm</p>	<p>Appenderia frontale inclinata per art. (PF CRE) L = 400 mm</p> <p>Frontal hanging tube tilted for item (PF CRE) L = 400 mm</p> <p>APLINC009 V APLINC009 X</p>	<p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>		
 <p>12 mm</p>	<p>Appenderia frontale inclinata per art. (PF CRE) L = 350 mm</p> <p>Frontal hanging tube tilted for item (PF CRE) L = 350 mm</p> <p>PF APF INT i V PF APF INT i C</p>	<p>Verniciato / Iron painted Cromato / Chrome</p>		
 <p>30 X 15 mm</p>	<p>Tubo per inserimento appenderia frontale L = 590 mm (escluso appenderie frontali)</p> <p>Hanging tube for frontal hook L = 590 mm (without frontal hook)</p> <p>PF B060 V PF B060 X</p>	<p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>		
 <p>30 X 15 mm</p>	<p>Tubo per inserimento appenderia frontale L = 1190 mm (escluso appenderie frontali)</p> <p>Hanging tube for frontal hook L = 1190 mm (without frontal hook)</p> <p>TUB120 V TUB120 X</p>	<p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>		



Type	Descrizione / Finiture
 <p>ϕ 16 mm</p>	<p>Appenderia frontale per art. PF B060, TUB120 L = 250 mm</p> <p>Frontal hanging tube for items PF B060, TUB120 L = 250 mm</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
 <p>∇ 20 X 20 mm</p>	<p>Appenderia frontale per art. PF B060, TUB120</p> <p>Frontal hanging tube for items PF B060, TUB120</p> <p>Verniciato / Iron painted L = 300 mm L = 250 mm</p> <p>Acciaio inox / Stainless steel L = 300 mm L = 250 mm</p>
 <p>20 X 3 mm</p>	<p>Appenderia frontale inclinata per art. PFB060, TUB120 L = 400 mm</p> <p>Frontal hanging tube tilted for items PF B060, TUB120 L = 400 mm</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
 <p>20 X 3 mm</p>	<p>Appenderia frontale inclinata per art. B060, TUB120 L = 400 mm</p> <p>Frontal hanging tube tilted for items B060, TUB120 L = 400 mm</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>
 <p>ϕ 6 mm</p>	<p>Appenderia frontale per art. PF B060, TUB120</p> <p>Frontal hanging tube for items PF B060, TUB120</p> <p>Verniciato / Iron painted L = 300 mm L = 250 mm</p> <p>Acciaio inox / Stainless steel L = 300 mm L = 250 mm</p>
 <p>ϕ 6 mm</p>	<p>Appenderia frontale per art. PF B060, TUB120 L = 150 mm</p> <p>Frontal hanging tube for items PF B060, TUB120 L = 150 mm</p> <p>Verniciato / Iron painted Acciaio inox / Stainless steel</p>